

AH321-M



Apacer

AH321-M

Overview

In addition to the highly reliable SLC chips, Apacer also offer the cost-effective MLC solutions, the industrial AH321-M adopting USB2.0 with up to 64GB, to provide more options to customers. The greatest difference between the industrial-grade USB drives and other consumer flash drives on the market lies in its firmware version and major components that can be fixed. Apacer's clients can benefit from the stable, long-term supply, with compatibility issues caused by frequent product component changes significantly reduced. Time and money spent on product verification can also be saved.



Feature

- · USB 2.0 high-speed transmission
- · Implements advanced wear-leveling algorithms
- · ECC engine
- · Power Saving implemented
- · Optional Industrial temp. range -40°C to 85°C


Apacer

Specifications

Model	AH321-M
Interface	USB 2.0
Connector	USB 2.0 A Type Plug
Form Factor	USB flash drive
NAND Flash Type	MLC
Capacity	4G~64GB
Sustained Read Performance (MB/sec)	Up to 33
Sustained Write Performance (MB/sec)	Up to 16
ECC Engine	Built-in 24-bit per 1K bytes BCH ECC
Standard Operating Temperature (°C)	0 ~ + 70
Extended Operating Temperature (°C)	-40 ~ + 85
Storage Temperature (°C)	-40 ~ + 100
Shock	Operation: 50G, 11ms Non-operation: 1500G, 0.5ms
Vibration	Operation: 7.69 Grms, 20~2000 Hz/random (comply with MIL-STD-810G) Non-operation: 15 G, 10 ~ 2000 Hz/sine
Operating Voltage	5.0 V ± 5%
Power Consumption	Active mode: 185 mA & Idle mode: 65 mA
Dimension (L x W x H)	60.59 x 19 x 8
MTBF (hours)	>1,000,000



Mechanical Specification



Unit: mm

For more information, contact your Apacer representative

Global Presence

Taiwan (Headquarters) Apacer Technology Inc. Tel: +886-2-2267-8000 Fax: +886-2-2267-2261

Japan Apacer Technology Corp. Tel: +81-3-5419-2668 Fax: +81-3-5419-0018 Europe Apacer Technology B.V.

Tel: +31-40-267-0000 Fax: +31-40-290-0686

India

Apacer Technologies Pvt. Ltd. Tel: +91-80-41529061~3 Fax: +91-80-41700215 U.S.A.

Apacer Memory America, Inc. Tel: +1-408-518-8699

Fax: 1-510-249-9551

China

Apacer Electronic(Shanghai)
Co.. Ltd.

Tel: +86-21-6228-9939